

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S55 | 479 | encapsulat\$3 same (key hook tone) same packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:21 |
| S56 | 686 | encapsulat\$3 same (key hook tone disconnect hangup ring\$3) same packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:22 |
| S57 | 254 | encapsulat\$3 same ((key adj press) hook tone disconnect hangup ring\$3) same packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:23 |
| S58 | 56 | encapsulat\$3 same ((key adj press) hook tone disconnect hangup) same packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:26 |
| S59 | 97 | encapsulat\$3 with control with packet and voice near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:36 |
| S60 | 1 | phoungchau near2 nguyen.xa. and volume | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:37 |
| S61 | 0 | phoungchau near2 nguyen.xa. and handset | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:37 |
| S62 | 9 | phuongchau near2 nguyen.xa. and handset | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:37 |
| S63 | 24 | ("20020163439" "4359603" "4716585" "5018136" "5193151" "5533112" "5642428" "5651054" "5822537" "5844979" "5940479" "6105064" "6178237" "6215769" "6230190" "6241612" "6243676" "6301258" "6411335" "6421720" "6434606" "6452950" "6487603" "6580694").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:42 |
| S64 | 395 | packet with telephon? with (interface adapter controller) and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:49 |
| S65 | 36 | packet with telephon? with (interface adapter controller) same encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:47 |
| S66 | 41 | packet with telephon? with (interface adapter controller) same encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 08:47 |
| S67 | 71 | packet with telephon? with (interface adapter controller) and encapsulat\$3 and voice with mail | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:53 |

| | | | | | | |
|-----|-----|---|------------------------------|----|----|------------------|
| S68 | 39 | ring with activate with command | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:53 |
| S69 | 149 | ring\$2 with activat\$3 with command | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:54 |
| S70 | 11 | ring\$2 with activat\$3 with command and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:56 |
| S71 | 14 | volume with control\$4 with handset and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 08:59 |
| S72 | 46 | command with handset and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:00 |
| S73 | 15 | disconnect\$3 with handset and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:04 |
| S74 | 2 | off adj hook with (handset telephone) with encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:05 |
| S75 | 0 | off-hook with (handset telephone) with encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:05 |
| S76 | 0 | on near2 hook with (handset telephone) with encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:05 |
| S77 | 2 | hook with (handset telephone) with encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:05 |
| S78 | 45 | (command control signaling) with (handset telephone) with encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:42 |
| S79 | 0 | "2002131406" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:09 |
| S80 | 0 | "2002031096" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:18 |
| S81 | 14 | "6308062" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:35 |
| S82 | 1 | "6842447" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:35 |
| S83 | 82 | ("5303286" "5434907" "5634012" "5664009" "5680116" "5699359" "5732219" "5742763" "5745556" "5794039" "5802510" "5826039" "5832221" "5859898" "5864610" "5867494" "5867495" "5883894" "5889774" "5907547" "5913176" "5923659" "5930348" "5951638" "5953504" "5956391" "5958005" "5960416" "5999525" "6064653" "6067442" "6069890" "6073160" "6078583" "6081518" "6084952" "6094525" "6118864" "6134235" "6137869" "6144667" "6147975" "6151390" "6151629" "6157648" "6161008" "6163536" "6167042" "6178181" "6188760" "6195697" "6201858" "6202081" "6215858" "6226289" "6233318" "6240391" "6253249" "6278707" "6282270" "6292479" "6301609" "6333931" "6335927" "6335968" "6339594" "6366576" "6381316" "6411705" "6426955" "6453034" "6463053" "6507647" "6515997" "6519242" "6529499" "6567399" "6570869" "6584110" "6631186" "6633571" "6658022").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:38 |
| S84 | 985 | PBx with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 09:43 |
| S85 | 262 | PBx with internet and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:19 |

| | | | | | | |
|----------|---------|---|---|----|----|------------------|
| S86 | 33 | PBx with internet and @ad<"20000303" and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:14 |
| S87 | 282 | stimulus same encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:15 |
| S88 | 5 | stimulus same encapsulat\$3 and telephone with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:16 |
| S89 | 4 | stimulus same internet same packet and telephone with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:18 |
| S90 | 4 | stimulus same internet same packet and telephon? with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:18 |
| S91 | 8 | stimulus same internet same packet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:18 |
| S92 | 1909 | telephon? near2 (internet IP) and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:20 |
| S93 | 109942 | "380" and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:19 |
| S94 | 1207182 | "38" and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:20 |
| S95 | 447 | S92 and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:20 |
| S96 | 565 | telephon? near2 (internet IP) and encapsulat\$3 same (sigaling command control) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:20 |
| S97 | 166 | S96 and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:34 |
| S98 | 32 | stimulus adj command and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:36 |
| S99 | 0 | encasulat\$3 with command and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:36 |
| S10 0 | 361 | encapsulat\$3 with command and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:36 |
| S10 1 | 53 | encapsulat\$3 with command with packet and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 10:38 |
| S10 2 | 43 | encapsulat\$3 with command and @ad<"20000303" and telephon? with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:14 |
| S10 3 | 75 | stimulus and @ad<"20000303" and telephon? with internet | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:27 |
| S10 4 | 1 | RTP same DMTF | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:21 |
| S10 5 | 1 | RTP same DMTF | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:21 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S10 6 | 3 | payload same DMTF | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:22 |
| S10 7 | 413 | payload same in-band | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:22 |
| S10 8 | 1011 | payload same telephone | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:22 |
| S10 9 | 126 | payload same telephone same signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:23 |
| S11 0 | 18 | payload same telephone same signaling and UDP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:58 |
| S11 1 | 82 | RTP same telephone same signaling and UDP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:35 |
| S11 2 | 14 | S111 and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:40 |
| S11 3 | 17 | RTP same telephone same event and UDP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:40 |
| S11 4 | 45 | RTP same telephone same event | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:41 |
| S11 5 | 7 | S114 and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:46 |
| S11 6 | 32 | RTP same telephony same command | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:46 |
| S11 7 | 0 | MPGC and signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:46 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S11 8 | 630 | MGCP and signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:46 |
| S11 9 | 174 | MGCP same signaling and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:46 |
| S12 0 | 32 | S119 and @ad<"20000303" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:50 |
| S12 1 | 2 | "6636528" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:51 |
| S12 2 | 356 | stimulus with protocol | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:51 |
| S12 3 | 52 | stimulus with protocol and encapsulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:52 |
| S12 4 | 5 | stimulus with protocol and encapsulat\$3 and telephon? | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:53 |
| S12 5 | 81 | stimulus with protocol and telephon? | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 12:53 |
| S12 6 | 140 | IP-PBx | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 12:58 |
| S12 7 | 29 | IP-PBx and signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:00 |
| S12 8 | 4 | IP-PBx and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:02 |
| S12 9 | 1 | IP-PBx and stimulus | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:02 |
| S13 0 | 22 | IP-PBx and ring | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:06 |
| S13 1 | 0 | stimulus adj message same encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:06 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S13 2 | 2 | stimulus with message same encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:06 |
| S13 3 | 119 | stimulus with encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:06 |
| S13 5 | 1 | stimulus with encapsulat\$3 and telephony | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:07 |
| S13 6 | 2 | stimulus and lp adj centrex | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:12 |
| S13 7 | 5 | stimulus adj2 protocol and UDP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:21 |
| S13 8 | 3507 | packet near2 (telephon? phone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:28 |
| S13 9 | 524 | packet near2 (telephon? phone) and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:28 |
| S14 0 | 42 | packet near2 (telephon? phone) and encapsulat\$3 with signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:39 |
| S14 1 | 190 | UDP and encapsulat\$3 with signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:39 |
| S14 2 | 43 | UDP and encapsulat\$3 with signaling and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:46 |
| S14 3 | 7 | ("20010055313" "5623605" "5996021" "6195714" "6331978" "6339594" "6522667").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/10 13:41 |
| S14 4 | 8 | UDP and encapsulat\$3 with signalling and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:51 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S14 5 | 0 | UDP and sitimulus adj3 protocol and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:52 |
| S14 6 | 1 | UDP and stimulus adj3 protocol and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:52 |
| S14 7 | 7 | Cornet-TS and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:12 |
| S14 8 | 0 | Cornet-TS and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:54 |
| S14 9 | 9 | Cornet-TS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:55 |
| S15 0 | 2392 | PBx same protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:55 |
| S15 1 | 4123 | key with system same protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:55 |
| S15 2 | 135 | stimulus adj3 protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 13:57 |
| S15 3 | 42 | stimulus adj3 protocol and packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:05 |
| S15 4 | 20 | stimulus adj3 protocol and internet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:08 |
| S15 5 | 12 | encapsulat\$3 with function adj3 key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:09 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S15 6 | 7 | encapsulat\$3 with key near2 press | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:10 |
| S15 7 | 13 | encapsulat\$3 with digital adj2 (phone telephone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:12 |
| S15 8 | 781 | encapsulat\$3 and digital adj2 (phone telephone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:12 |
| S15 9 | 280 | encapsulat\$3 same packet and digital adj2 (phone telephone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:12 |
| S16 0 | 239 | encapsulat\$3 with packet and digital adj2 (phone telephone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:12 |
| S16 1 | 95 | S160 and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:40 |
| S16 2 | 389 | PBx adj2 (internet ip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 14:40 |
| S16 3 | 85 | S162 and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:35 |
| S16 4 | 6 | S162 and @ad<"20000303" and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:08 |
| S16 6 | 112 | scramb\$3 with signaling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:09 |
| S16 7 | 44 | scramb\$3 with signaling and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:10 |

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S16 8 | 0 | scramb\$3 with DTMF and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:11 |
| S16 9 | 5 | scramb\$3 with DTMF | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:12 |
| S17 0 | 270 | scramb\$3 with command | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:12 |
| S17 1 | 14 | scramb\$3 with command and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:22 |
| S17 2 | 35 | scramb\$3 with encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:25 |
| S17 3 | 8 | ((("6275573") or ("6438124") or ("6487186") or ("6118864"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/10 15:34 |
| S17 4 | 1398 | packet with UDP with port | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:28 |
| S17 5 | 0 | packet with UDP with port and encapsulat43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:29 |
| S17 6 | 612 | packet with UDP with port and encapsulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:29 |
| S17 7 | 99 | packet with UDP with port and encapsulat\$3 and voice with internet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:29 |
| S17 8 | 12 | ((("6275573") or ("6438124") or ("6487186") or ("6118864") or ("6078582") or ("6636528"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/10 15:35 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S17 9 | 0 | S178 and udp with port | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:35 |
| S18 0 | 164 | packet same udp with port and 370/351-352.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:42 |
| S18 1 | 46 | S180 and @ad<"20000303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:49 |
| S18 2 | 53 | header with udp with port and 370/351-352.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:45 |
| S18 3 | 3 | header with udp with port with voice and 370/351-352.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:46 |
| S18 4 | 8 | header with udp with port same voice and 370/351-352.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:46 |
| S18 5 | 32 | header with udp with port same voice | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/10 15:46 |